

**From:** [raymond.melton@okc.gov](mailto:raymond.melton@okc.gov)  
**To:** [Jhana Enders/R6/USEPA/US@EPA](#); [derek.johnson@okc.gov](mailto:derek.johnson@okc.gov)  
**Subject:** FW: Lab Results  
**Date:** 08/14/2012 03:41 PM  
**Attachments:** [2012080195-c.pdf](#)  
[ATT00001.htm](#)  
[2012080195-q.pdf](#)  
[ATT00002.htm](#)  
[2012080195-r.pdf](#)  
[ATT00003.htm](#)

---

These results are from Bachman Services samples taken last Friday from the water that is currently in the creek.

ODEQ also took samples but I have not seen those results.

**Raymond L. Melton, CSI, CPESC**

*Environmental Protection Manager*  
*City of Oklahoma City*  
*420 W. Main, 7th Floor*  
*Oklahoma City, OK. 73102*  
*405-297-2179*

---

**From:** Carla Hayes [<mailto:chayes@bachmanservices.com>]  
**Sent:** Tuesday, August 14, 2012 3:33 PM  
**To:** Mark Hildebrand; Melton, Raymond L; Vicki Smith  
**Subject:** Fwd: Lab Results

Carla Hayes

Begin forwarded message:

**From:** Brandon Mosley <[BMosley@etilab.com](mailto:BMosley@etilab.com)>  
**Date:** August 13, 2012 4:40:10 PM CDT  
**To:** Carla Hayes <[chayes@bachmanservices.com](mailto:chayes@bachmanservices.com)>  
**Subject:** Lab Results

Thanks,

Brandon Mosley  
Email logo



Oklahoma City, OK 73118  
(405) 488-2400 Office  
(405) 488-2404 Fax

---

CONFIDENTIALITY NOTE: This e-mail message and any attachments are intended solely for the person to which it is addressed and may contain privileged and confidential information protected by law. If you have received this communication in error, please notify the sender immediately by telephone or e-mail, destroy this message and delete any copies held in your electronic files. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.